



AVAILABLE FROM
williams
WILLIAMS IRONMONGERY

Williams Ironmongery Ltd (London)
1 Fashion Street
Spitalfields
London
E1 6LY
Contact: london@williams-ironmongery.co.uk
Tel: 0207 247 8821

Williams Ironmongery Ltd (Head Office)
Unit 89 Hartlebury Trading Estate
Hartlebury
Worcs
DY10 4JB
Contact: sales@williams-ironmongery.co.uk
Tel: 01299 250 824

Allart Select


Thumb Turns - 44mm to 76mm Ø Rosettes

A Rosette & Thumb Turn combination with 5mm spindle fitted, offered with twelve Rosette designs - each available in up to four sizes - and over twenty different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



approx actual size B



	A*	B	C	D
D (diameter)	Ø 44	Ø 54	Ø 64	Ø 76


Custom sizes available upon request - surcharge may apply.

* 7470 not available in A size



See page ST7:130 & 140 for Turn options

▲ 7460 size B Rosette with T61 Turn



Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws, 5-8mm converter sleeve and installation instructions.

Pre-Bore Adaptors supplied with M5 machine screws to suit doors between 32mm and 44mm thick. Longer screws are available - see page ST6:070.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

How to Order

- 1) select ROSETTE DESIGN (e.g. 7465)
- 2) add SIZE (e.g. 7465B)
- 3) add TURN CODE & SPINDLE ORIENTATION (e.g. 7465B/T62S)
- 4) add FINISH (e.g. 7465B/T62S/PC)

For CLOSET SPINDLE configuration add CLS (e.g. 7465B/T62S/PC/CLS).

For PRE-BORE ADAPTOR (sizes C & D only) add PRE (e.g. 7465C/T62S/PC/PRE).


NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 7465C/T62S/PC/XL).

Finishes - See our price list or website for finish availability.

subrose, alignment insert, and 5-8mm converter sleeve supplied

▲ **PRE**
pre-bored
adaptor option
(see ST6:070 for dimensions)

▲ **CLS**
closet spindle
option





▲ spindle orientation

ST7:010

© Frank Allart 2018

Coin Releases - 44mm to 76mm Ø Rosettes

A concealed fix Coin Release offered in twelve designs and up to four sizes to match up with the Thumb Turns to be found on page ST7:010.





	A*	B	C	D
D (diameter)	Ø 44	Ø 54	Ø 64	Ø 76

Custom sizes available upon request - surcharge may apply.

* 7470CR not available in A size.

▲ 7462CR



Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions.



How to Order

- 1) select ROSETTE DESIGN (e.g. **7460**)
- 2) add SIZE (e.g. 7460**B**)
- 3) add CR (e.g. 7460B/**CR**)
- 4) add FINISH (e.g. 7460B/CR/**PB**)

Finishes - See our price list or website for finish availability.


Coin Releases - 54mm to 76mm Ø with indicator

A concealed fix Coin Release with red/green status indication, offered in 3 diameters and twelve designs to match up with the Thumb Turns to be found on page ST7:010.


Due to design restrictions this Indicating Release is not available in 44mm diameter.



approx actual size B



	A	B	C	D
D (diameter)	—	Ø 54	Ø 64	Ø 76



Designed to work in conjunction with Allart Select Thumb Turns (ST7:010)

▲ 7485



▲ 7480



▲ 7481



▲ 7482



▲ 7483



▲ 7485



▲ 7486



▲ 7487



▲ 7488



▲ 7489



▲ 7490



▲ 7491



▲ 7492

Fixings

Supplied with no.4 x 13mm wood screws (faceplate threads on for concealed fixing).



red/green indication

How to Order


- 1) select RELEASE (e.g. **7480**)
- 2) add SIZE (e.g. **7480B**)
- 3) add FINISH (e.g. **7480B/PB**)

Finishes - See our price list or website for finish availability.

Thumb Turns - 38mm Ø Rosettes

A Rosette & Thumb Turn combination with 5mm spindle fitted, offered with ten Rosette designs and eight different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

How to Order

- 1) select ROSETTE DESIGN (e.g. **7918**)
- 2) add TURN CODE & SPINDLE ORIENTATION (e.g. 7918/**T62S**)
- 3) add FINISH (e.g. 7918/T62S/**PC**)

For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. 7918/T62S/PC/**CLS**)

NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 7918/T62S/PC/**XL**).



A 5-8mm converter sleeve is available - see page ST6:070


Finishes - See our price list or website for finish availability.



▲ **7934** Rosette with T61 Turn



See page ST7:130 & 140 for dimensions



Coin Releases - 38mm Ø Rosettes

A concealed fix Coin Release offered in ten designs to match up with the Thumb Turns to be found on page ST7:050.



Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions.




Subrose and alignment insert supplied

How to Order

- 1) select RELEASE (e.g. **7918CR**)
- 2) add FINISH (e.g. **7918CR/PB**)

Finishes - See our price list or website for finish availability.



designed to work in conjunction with Allart Select thumb turns (ST7:050)



▲ **7918CR**

approx actual size



▲ **7922CR**

approx actual size



▲ **7927CR**

approx actual size



▲ **7934CR**

approx actual size



▲ **7938CR**

approx actual size



▲ **7941CR**

approx actual size



▲ **7940CR**

approx actual size




▲ **7924CR**

approx actual size




▲ **7920CR**

approx actual size



▲ **7939CR**


approx actual size



Thumb Turns - 32mm Ø Rosettes


A Rosette & Thumb Turn combination with 5mm spindle fitted, offered with ten Rosette designs and over twenty different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



See page ST7:130 & 140 for Turn options

▲ 7945 Rosette with T51 Turn



Fixings

Supplied with subrose, alignment insert, no.4 x 13mm wood screws, release key and installation instructions.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

How to Order

- 1) select ROSETTE DESIGN (e.g. **7916**)
- 2) add TURN CODE & SPINDLE ORIENTATION (e.g. 7916/**T51S**)
- 3) add FINISH (e.g. 7916/T51S/**PC**)

For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. 7916/T51S/PC/**CLS**)


NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 7916/T51S/PC/**XL**).



A 5-8mm converter sleeve is available - see page ST6:070

▲ subrose and alignment insert supplied

▲ **CLS** closet spindle option (see page ST6:070 for dimensions)



▲ spindle orientation

Finishes - See our price list or website for finish availability.

Coin Releases - 32mm Ø Rosettes

A concealed fix Coin Release offered in ten designs to match up with the Thumb Turns to be found on page ST7:070.



Fixings


Supplied with subrose, alignment insert, no.4 x 13mm wood screws and installation instructions.




How to Order

- 1) select RELEASE (c.g. **7916CR**)
- 2) add FINISH (c.g. **7916CR/PB**)

Finishes - See our price list or website for finish availability.



designed to work in conjunction with Allart Select thumb turns (ST7:070)



Thumb Turns - Concealed Fix Square Plates


A Concealed Fix Square Plate & Thumb Turn combination with 5mm spindle fitted, offered with nine Square Plate designs - each available in up to five sizes - and over 30 different Thumb Turns.



6003AB/T78 shown actual size




See pages ST7:130 & 140 for Turn options



	AB	AA	A	B	C
L x W x T	32 x 32 x 5	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
3203 only	47 x 32 x 5	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6

Custom sizes available upon request - surcharge may apply.




size B shown with T55 turn

▲ 3203



size B shown with T59 turn

▲ 4703



size B shown with T63 turn

▲ 4903



size B shown with T61 turn

▲ 5903



size B shown with T62 turn

▲ 6003



size B shown with T68 turn

▲ 6603



size B shown with T56 turn

▲ 6703 (square edge design)



size B shown with T55 turn

▲ 6803 (round edge design)



size B shown with T66 turn


▲ 8703



▲ 5-8mm converter sleeve supplied with sizes A, B & C only



▲ CLS closet spindle option (see page ST6:070 for dimensions)



▲ spindle orientation

Fixings

All sizes supplied with subrose, alignment insert, no.4 x 13mm wood screws, assembly key, allen key, and installation instructions. In addition, sizes A, B & C are supplied with a 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

How to Order

- 1) select PLATE DESIGN (e.g. **6003**)
- 2) add SIZE (e.g. 6003**B**)
- 3) add TURN CODE & SPINDLE ORIENTATION (e.g. 6003B/**T62S**)
- 4) add FINISH (e.g. 6003B/T62S/**PC**)

For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. 6003/T62S/PC/**CLS**)


NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 6003C/T62S/PC/**XL**).

Finishes - See our price list or website for finish availability.

Releases - Concealed Fix Square Plates

A Concealed Fix Square Plate Swing Cover Release offered in nine designs and five sizes to match up with the Thumb Turns to be found on page ST7:085.

Beneath the Swing Cover we offer a choice of either a plain hole to accept a release key or a coin release as shown.



	AB	AA	A	B	C
L x W x T	32 x 32 x 5	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
8920/8950	47 x 32 x 5	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6

Custom sizes available upon request - surcharge may apply.

Fixings

Supplied with finished matched no. 4 x 19mm wood screws. In addition the plain hole version is supplied with a release key


How to Order

- 1) select COIN RELEASE or PLAIN HOLE version (e.g. **8924**)
- 2) add SIZE (e.g. 8924**AA**)
- 3) add FINISH (e.g. 8924**AA/PB**)

Finishes - See our price list or website for finish availability.




Swing Cover with Plain Hole supplied with nickel plated key (see page ST6:070 for dimensions)




Thumb Turns - Face Fixed Square Plates

A Face Fixed Square Plate & Thumb Turn combination with 5mm spindle fitted, offered with nine Square Plate designs - each available in up to four sizes - and over 30 different Thumb Turns.




	AA	A	B	C
L x W x T	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
3253 only	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6

Custom sizes available upon request - surcharge may apply.



▲ 3253



▲ 4753



▲ 4953



▲ 5953



▲ 6053



▲ 6653



▲ 6753 (square edge design)



▲ 6853 (round edge design)



▲ 8753

Fixings

Size AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws and 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.


How to Order

- 1) select PLATE DESIGN (e.g. 6653)
- 2) add SIZE (e.g. 6653B)
- 3) add TURN CODE & SPINDLE ORIENTATION (e.g. 6653B/T62S)
- 4) add FINISH (e.g. 6653B/T62S/PC)

For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. 6653C/T62S/PC/CLS)

NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 6653C/T62S/PC/XL).

Finishes - See our price list or website for finish availability.



Releases - Face Fixed Square Plates

A Face Fixed Square Plate with Swing Cover/Coin Release options offered in nine designs and four sizes to match up with the Thumb Turns to be found on page ST7:090.


Size AA is only available with code R01 Coin Release.

For sizes A, B & C please see page ST6:040 for Swing Cover/Coin Release options.

5953A/R02/PN



Swing Cover/Coin Release options - see page ST6:040



	AA*	A**	B	C
L x W x T	38 x 38 x 5	44 x 44 x 6	54 x 54 x 6	64 x 64 x 6
3253 only	53 x 38 x 5	62 x 44 x 6	72 x 54 x 6	82 x 64 x 6

* only available with R00 & R01 Releases

** only available with R00, R01 & R02 Releases

Custom sizes available upon request - surcharge may apply.

Fixings

Sizes AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws.


How to Order

- 1) select PLATE DESIGN (e.g. **5953**)
- 2) add SIZE (e.g. **5953B**)
- 3) **Sizes A, B & C:** add COVER/RELEASE code (e.g. **5953B/R12**)
Size AA: add R01 - this is the only RELEASE option available at these sizes (e.g. **5953AA/R01**)
- 4) add FINISH (e.g. **5953B/R12/PB** or **5953AA/R01/PB**)

Finishes - See our price list or website for finish availability.



All images shown below are B size (54mm) with R02 coin release



Thumb Turns - Concealed Fix Diamond Plates

A Concealed Fix Diamond Plate & Thumb Turn combination with 5mm spindle fitted, offered with four Diamond Plate designs - each available in five sizes - and over 30 different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



5904AA/T67S/PN

Fixings

All sizes supplied with subrose, alignment insert, no.4 x 13mm wood screws, assembly key, allen key, and installation instructions. In addition, sizes A, B & C are supplied with a 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.

How to Order

- 1) select PLATE DESIGN (e.g. **4704**)
- 2) add SIZE (e.g. 4704**B**)
- 3) add TURN CODE & SPINDLE ORIENTATION (e.g. 4704B/**T62S**)
- 4) add FINISH (e.g. 4704B/T62S/**PC**)

For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. 4704B/T62S/PC/**CLS**)

NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. 4704B/T62S/PC/**XL**).

Finishes - See our price list or website for finish availability.



size B shown with T59 turn

▲ 4704



size B shown with T66 turn

▲ 4904





size B shown with T61 turn

▲ 5904



size B shown with T62 turn

▲ 6004




See pages ST7:130 & 140 for Turn options

	AB	AA	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6

Custom sizes available upon request - surcharge may apply.



▲ 5-8mm converter sleeve supplied with sizes A, B & C only


▲ **CLS** closet spindle option (see page ST6:070 for dimensions)


▲ spindle orientation

Releases - Concealed Fix Diamond Plates

A Concealed Fix Diamond Plate Swing Cover Release offered in four designs and five sizes to match up with the Thumb Turns to be found on page ST7:105.

Beneath the Swing Cover we offer a choice of either a plain hole to accept a release key or a coin release as shown.



8933AA/PN

Fixings

Sizes AB & AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws.

How to Order

- 1) select COIN RELEASE or PLAIN HOLE VERSION (e.g. **8932**)
- 2) add SIZE (e.g. 8932**B**)
- 3) add FINISH (e.g. 8932B/**PB**)

Finishes - See our price list or website for finish availability.



Swing Cover Releases supplied with nickel plated key (see page ST6:070 for dimensions)


computer generated images (AA size shown)

▲ **8930** with coin release
8960 with plain hole

▲ **8931** with coin release
8961 with plain hole

▲ **8932** with coin release
8962 with plain hole

▲ **8933** with coin release
8963 with plain hole



▲ **coin release version**



▲ **plain hole version**

	AB	AA	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6

Custom sizes available upon request - surcharge may apply.


Thumb Turns - Face Fixed Diamond Plates

A Face Fixed Diamond Plate & Thumb Turn combination with 5mm spindle fitted, offered with four Diamond Plate designs - each available in five sizes - and over 30 different Thumb Turns.

Please contact us should you require additional information on Thumb Turn combinations.



4954B/T63S/SN



size B shown with T59 turn

▲ 4754



size B shown with T66 turn

▲ 4954



size B shown with T61 turn

▲ 5954



size B shown with T62 turn

▲ 6054

Fixings

Sizes AB & AA supplied with finish matched no.4 x 19mm wood screws.

Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws and 5-8mm converter sleeve.



Release Keys are **not** supplied with Turns - see page ST6:070 to order separately.


How to Order

- 1) select PLATE DESIGN (e.g. **4754**)
- 2) add SIZE (e.g. **4754B**)
- 3) add TURN CODE & SPINDLE ORIENTATION (e.g. **4754B/T62S**)
- 4) add FINISH (e.g. **4754B/T62S/PC**)


For CLOSET SPINDLE fitted instead of 5mm spindle add CLS (e.g. **4754B/T62S/PC/CLS**)

NB. If your Turn is to be used along with a Coin Release AND the door thickness is between 66mm and 76mm thick you will need to add XL to your code (e.g. **4754B/T62S/PC/XL**).

Finishes - See our price list or website for finish availability.




See pages ST7:130 & 140 for Turn options




	AB	AA	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6

Custom sizes available upon request - surcharge may apply.



▲ 5-8mm converter sleeve supplied with sizes A, B & C only


▲ **CLS** closet spindle option (see page ST6:070 for dimensions)



▲ spindle orientation

Releases - Face Fixed Diamond Plates

A Face Fixed Diamond Plate with Swing Cover/Coin Release options offered in four designs and five sizes to match up with the Thumb Turns to be found on page ST7:110.

Sizes AB & AA are only available with code R01 coin Release.

For sizes A, B & C please see page ST6:040 for Swing Cover/Coin Release options.



6054A/R02/IBU

all images shown below are B size (54mm) with R02 Coin Release



▲ 4754

▲ 4954



▲ 5954

▲ 6054

Fixings

Sizes AB & AA supplied with finish matched no.4 x 19mm wood screws.


Sizes A, B & C supplied with finish matched no.6 x 19mm wood screws.

How to Order

- 1) select PLATE DESIGN (e.g. **5954**)
- 2) add SIZE (e.g. 5954**B**)
- 3) **Sizes A, B & C:** add COVER/RELEASE code (e.g. 5954B/**R12**)
Sizes AA & AB: add R01 - this is the only RELEASE option available at these sizes (e.g. 5954AA/**R01**)
- 4) add FINISH (e.g. 5954B/R12/**PB** or 5954AA/R01/**PB**).

Finishes - See our price list or website for finish availability.

Swing Cover/Coin Release options - see page ST6:040



	AB*	AA*	A	B	C
S (square)	32	38	44	54	64
W (width)	45	54	62	76	90
T (thickness)	5	5	6	6	6



















* only available with R01 Coin Release

Custom sizes available upon request - surcharge may apply.



Swing Cover Releases supplied with nickel plated key (see page ST6:070 for dimensions)

Thumb Turn Options































 <p>▲ T51†</p>	 <p>▲ T61◇</p>	 <p>▲ T65◇</p>
 <p>▲ T53†</p>	 <p>▲ T66◇</p>	 <p>▲ T54†</p>
 <p>▲ T52†</p>	 <p>▲ T62◇</p>	 <p>▲ T68◇</p>
 <p>▲ T55† 30(H) x 17(W) x 27(P) ▲ T72† 25(H) x 13(W) x 21(P)</p>	 <p>▲ T56† 30(H) x 17(W) x 27(P) ▲ T73† 25(H) x 13(W) x 21(P)</p>	 <p>▲ T63†</p>
 <p>▲ T57</p>	 <p>▲ T58</p>	 <p>▲ T69†</p>
 <p>▲ T92†</p>		<p>SPINDLE ORIENTATION</p> <div>  <p>▲ S Square (e.g. T61S)</p>  <p>▲ D Diamond (e.g. T61D)</p> </div>

† Turn design not suitable for use with 38mm Ø rosettes (page ST7:050).

◇ Turn design not suitable for use with 32mm Ø rosettes (page ST7:070).

* Total projection: add 7mm for rosette & 6mm for plate.



Thumb Turn Options

 	 	 
▲ T59†	▲ T60†	▲ T75†
  <p>computer generated image</p>	 	 
▲ T76†	▲ T74†	▲ T77†
 	 	 
▲ T89†	▲ T67†	▲ T79† 38(H) x 21(W) x 26(P) T78† 30(H) x 17(W) x 24(P)
 	 	 
▲ T86†	▲ T87†	▲ T88†
 	 	 
▲ T82† 32(A/F) x 30(P) T81† 25(A/F) x 25(P)	▲ T84† 32(A/F) x 28(P) T83† 25(A/F) x 23(P)	▲ T64

† Turn design not suitable for use with 38mm Ø rosettes (page ST7:050).

◇ Turn design not suitable for use with 32mm Ø rosettes (page ST7:070).

* Total projection: add 7mm for rosette & 6mm for plate.

SPINDLE ORIENTATION	
	
▲ S Square (e.g. T61S)	▲ D Diamond (e.g. T61D)

Additional Turns, Releases & Escutcheons

Available in the Door Furniture sections DF5 & DF6.

